

	Application No.	Applicant(s)
•		
Notice of Allowability	10/046,731 Examiner	TAO ET AL.  Art Unit
	Lamino	Art of the
	Michael P. Mooney	2883
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 11/10/05 Amdt.		
2. The allowed claim(s) is/are <u>1-49</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority una)</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents</li> </ul>	been received. been received in Application No.	
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5 🗀 Notice of Informal E	Patent Application (PTO-152)
<ol> <li>Notice of References Cited (PTO-992)</li> <li>Divide of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		,, ,
2.   Notice of Dranperson's Patent Drawing Neview (P10-546)	Paper No./Mail Da 8), 7. ⊠ Examiner's Amend	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	8), 7. 🛛 Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	
		_
		·

Application/Control Number: 10/046,731

Art Unit: 2883

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

On page 7 of the Specification, please delete lines 10-12 and replace them with the following:

Fig. 2A shows the light intensity distribution of a light beam guided through an optical fiber transducer having an active fiber core according to the present invention.

Fig. 2B shows the light intensity distribution of a light beam guided through an optical fiber transducer having an active film cladding according to the prior art.

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

The prior art, either alone or in combination, does not disclose or render obvious (see, in particular, the italicized) a method for making a *porous sol-gel fiber*, the method comprising steps of: hydrolyzing a silicate ester with water using a catalyst to form a hydrolyzed solution; transferring the hydrolyzed solution into the cavity of a mold; allowing the hydrolyzed solution to gelatinize to form a *sol-gel fiber*; removing the *sol-gel fiber* from the mold; and drying the *sol-gel fiber* as stated in claim 1 for the reasons stated by Applicant in the Remarks section filed 11/10/05.

Application/Control Number: 10/046,731

Art Unit: 2883

It is noted that claim 1 is allowable because the unique combination of each and every specific element stated in the claim.

Furthermore, prior art, either alone or in combination, does not disclose or render obvious the porous sol-gel fiber device(s) that result from the method of claim 1.

Additionally, consistent with the aforementioned statements the prior art either alone or in combination, does not disclose or render obvious a method of making a porous sol-gel optical fiber sensor according to claim 20.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Mooney whose telephone number is 571-272-2422. The examiner can normally be reached during weekdays, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank G. Font can be reached on 571-272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/046,731

Art Unit: 2883

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-

1562.

Michael P. Mooney

Examiner

Art Unit 2883

FGF/mpm 1/19/06 Frank G. Font

Supervisory Patent Examiner

Art Unit 2883